


# PICASSO II™

POSTERIOR LUMBAR  
MINIMALLY INVASIVE FIXATION PLATFORM



PICASSO II™ percutaneous polyaxial screws are designed with simplicity in mind. Made for true percutaneous implantation, they allow for complete pedicle stabilization while minimizing tissue disruption.

**Slim integrated tower sleeve** provides stability and control during insertion and reduction

**Stability ring** prevents splay during implantation, reduction and set screw insertion

**Laser scored and tapered housing** provides a clean break every time

6.0 percutaneous **rod available in straight and curved**, and designed with a bullet tip, which allows for smooth insertion

**25mm of internal threads** aid in rod reduction

**Dual lead polyaxial screw** with an angulation of  $\pm 36^\circ$

**CTL AMERICA**  
rethink what's possible®



### PICASSO II™ MIS Screw: 5.5 Diameter

Part Number	Color	Length (mm)
119.1535	Green	35
119.1535	Green	40
119.1535	Green	45
119.1535	Green	50
119.1535	Green	55

### PICASSO II™ MIS Screw: 6.5 Diameter

Part Number	Color	Length (mm)
119.1635	Gold	35
119.1640	Gold	40
119.1645	Gold	45
119.1650	Gold	50
119.1655	Gold	55

### PICASSO II™ MIS Screw: 7.5 Diameter

Part Number	Color	Length (mm)
119.1735	Purple	35
119.1740	Purple	40
119.1745	Purple	45
119.1750	Purple	50
119.1755	Purple	55

### PICASSO II™ Curved Rod: 6.0 Diameter

Part Number	Length (mm)
116.3035	35
116.3040	40
116.3045	45
116.3050	50
116.3055	55
116.3060	60
116.3065	65
116.3070	70
116.3075	75
116.3080	80
116.3085	85
116.3090	90
116.3095	95
116.3100	100
116.3110	110
116.3120	120
116.3130	130
116.3140	140
116.3150	150

\*Straight rods available upon request

