crea spine ACIF CAGE



STAND - ALONE

INNOVATIVE SOLUTIONS

INNOVATIVE SOLUTIONS

ACIF CAGE
STAND - ALONE



The stand alone anterior cage implant is produced from PEEK material, a thermoplastic solution compatible with the body and causes no artifact. Completely compatible with MRI for in-vivo applications. The cage system is also available in forms of; rigid, bladed, expandable and bladed expandable alternatives;

- . Designed for stand-alone uses.
- Has a wide measurement range for height starting from 4 mm to 8 mm with 1 mm increment. External dimension range variations of 12x14mm and 14x16mm.
- Has special threaded structure for extra stabilization in the application area.
- . The cage has large graft application space to provide maximum fusion.
- The functional and robust application sets are designed and manufactures to facilitate the surgical application as well as to provide comfort for the patient.





ACIF STAND-ALONE CAGE INSTRUMENT SET


DESCRIPTION	QUANTITY	REF.NO
CASPAR DISTRACTOR	1	CS24001
CASPAR PIN DRIVER	1	CS24002
CASPAR PIN 12 mm	2	CS24003
CASPAR PIN 14 mm	2	CS24004
CASPAR PIN 16 mm	2	CS24005
RASP 12x14	1	CS24006
RASP 14x16	1	CS24007
TRIAL/RASP HOLDER	1	CS24008
TRIAL 12x14 H4 / H5 / H6 / H7 /H8	5	CS24009
TRIAL 14x16 H4 / H5 / H6 / H7 /H8	5	CS24010
AWL	1	CS24011
DRILL	1	CS24012
TAP	1	CS24013
ANGLED SCREW DRIVER	1	CS24014
IMPLANT HOLDER	1	CS24015
IMPLANT REMOVER	1	CS24016
MALLET (SLOTTED)	1	CS24017
GREFT BOX	1	CS24018
GREFT PUNCH	1	CS24019
TRIAL AND IMPLANT BOX	1	CS24020
SCREW BOX	1	CS24021
CONTAINER	1	CS24022
TRAY	1	CS24023

REF CODE	DESCRIPTION	ANGLE (S/I)
	STAND-ALONE CERVICAL PEEK CAGE L 12x14x5 ~ 9 mm	0/0 Degree
C05465L ~ C05469L	STAND-ALONE CERVICAL PEEK CAGE L 14x16x5 ~ 9 mm	0/0 Degree
C06245L ~ C06249L	STAND-ALONE CERVICAL TITANIUM CAGE L 12x14x5 ~ 9 mm	5/0 Degree
C06465L ~ C06469L	STAND-ALONE CERVICAL TITANIUM CAGE L 14x16x5 ~ 9 mm	5/0 Degree

- Optimized screw angulation (40 degree Cephalad/Caudal, 10 degree Medial Convergence) Self drilling screws with security tip
- Toothed inferior and superior surfaces
- Full compliance to posterior region
- Large graft space
- Marker for X-ray
- Stand-alone Cage is also available in Titanium and PEEK Titanium hybrid form







REF CODE	DESCRIPTION	INCREAMENT
C083512 ~ C083520	STAND ALONE CAGE SCREW 3.5x12 ~ 20 mm	+ 2 mm
C084012 ~ C084020	STAND ALONE CAGE SCREW 4.0x12 ~ 20 mm	+ 2 mm
C08SECS	STAND ALONE PEEK CAGE SECURITY SCREW	-







